



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

CR

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/007,955	12/07/2001	Abbas Arian	1391-27000	3449
23505	7590	08/07/2003		
CONLEY ROSE, P.C. P. O. BOX 3267 HOUSTON, TX 77253-3267			EXAMINER	HSIEH, SHIH YUNG
			ART UNIT	PAPER NUMBER
			2837	

DATE MAILED: 08/07/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	CH
	10/007,955	ARIAN ET AL.	
	Examiner Shih-yung Hsieh	Art Unit 2837	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) Responsive to communication(s) filed on _____.
- 2a) This action is **FINAL**. 2b) This action is non-final.
- 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) Claim(s) 1-26 is/are pending in the application.
 - 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) Claim(s) 2,3,12,13,17,25 and 26 is/are allowed.
- 6) Claim(s) 1, 4-11, 14-16, 18, 20-24 is/are rejected.
- 7) Claim(s) 19 is/are objected to.
- 8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) The specification is objected to by the Examiner.
- 10) The drawing(s) filed on _____ is/are: a) accepted or b) objected to by the Examiner.

Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) The proposed drawing correction filed on _____ is: a) approved b) disapproved by the Examiner.

If approved, corrected drawings are required in reply to this Office action.
- 12) The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All b) Some * c) None of:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.
- 14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
 - a) The translation of the foreign language provisional application has been received.
- 15) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) Notice of References Cited (PTO-892)
- 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____.
- 4) Interview Summary (PTO-413) Paper No(s). _____.
- 5) Notice of Informal Patent Application (PTO-152)
- 6) Other: _____.

Art Unit: 2837

1. Claim 13 is objected to because of the following informalities: "said nodal mass" in claim 13 lacks antecedent basis. Appropriate correction is required.

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1, 8-9, 11, 15-16, 18, and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hoyle et al. (5,036,945) in view of Blake (3,770,232).

Regarding claim 1, Hoyle et al disclose an apparatus comprising: a transmitter (10a); a receiver (10c); and an acoustic attenuation section (10b) having a housing (C7c) disposed between said transmitter and said receiver except that one or more springs connected in series and disposed in said housing.

Blake teaches one or more springs (56) connected in series (col. 2, lines 15-19) and disposed in a housing (6) for attenuating high intensity shock waves (col. 1, line 9). It would have been obvious to one having ordinary skill in the art to modify Hoyle et al's apparatus as taught by Blake to include one or more springs connected in series and disposed in said housing for the purpose of attenuating high intensity shock waves.

Regarding claims 8-9, 23, Hoyle et al. disclose the claimed invention except that the outer surface of the spring is separated from the inner surface of the adjoining housing by at least 0.010 inches and less than 0.100 inches.

Blake teaches the outer surface of the spring is separated from the inner surface of the adjoining housing by at least 0.010inches and less than 0.100 inches (Figure) for allowing the movement of the spring. It would have been obvious to one having ordinary skill in the art to modify Hoyle et al's apparatus as taught by Blake to arrange the outer surface of the spring is separated from the inner surface of the adjoining housing by at least 0.010inches and less than 0.100 inches for the purpose of allowing the movement of the spring.

Further, it would have been obvious to one having ordinary skill in the art at the time the invention was made to have the spacing between the outer surface of the spring and the inner surface of the adjoining housing to be at least 0.010inches and less than 0.100 inches, since it has been held that where the general condition of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. *In re Aller*, 105 USPQ 233.

Regarding claim 11, Hoyle et al. disclose a rod member (Fig. 5A)

Regarding claim 15, Hoyle et al. disclose said attenuation section being filled with fluid (col. 8, lines 44-46).

Regarding claim 16, Hoyle et al. disclose the claimed invention except that a plurality of springs connected in series to form an elongated body; and a plurality of housings corresponding in number to and disposed about said springs.

Blake teaches a plurality of springs connected in series to form an elongated body; and a plurality of housings corresponding in number to and disposed about said springs (Figure) for attenuating high intensity shock waves. It would have been obvious

to one having ordinary skill in the art to modify Hoyle et al's apparatus as taught by Blake to include a plurality of springs connected in series to form an elongated body; and a plurality of housings corresponding in number to and disposed about said springs for the purpose of attenuating high intensity shock waves.

Regarding claim 18, Hoyle et al. in view of Blake disclose the claimed invention except that a plurality of rod members axially interconnected between two springs. It would have been obvious to one having ordinary skill in the art at the time the invention was made to include a plurality of rod members axially interconnected between two springs, since it has been held that mere duplication of the essential working parts of a device involves only routine skill in the art. St. Regis Paper Co. v. Bemis co., 193 USPQ 8.

4. Claims 4, 10, 20-21, and 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hoyle et al. in view of Blake as applied to claims 1 and 16 above, and further in view of Shah et al. (6,137,747).

Regarding claims 4, 10, 20-21, and 24, Hoyle et al. in view of Blake disclose the claimed invention except that the spring, the housing, between the rod member and the nodal mass are coated with a layer of resilient material.

Shah et al. teach coating a support sleeve surface of an acoustic transmitter with a layer of resilient material (col. 5, lines 51-55) for preserving free axial movement. It would have been obvious to one having ordinary skill in the art to modify Hoyle et al in view of Blake's apparatus as taught by Shah et al. to include coating the spring, the

housing, between the rod member and the nodal mass with a layer of resilient material for the purpose of preserving free axial movement.

5. Claims 5-6, 14, and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hoyle et al. in view of Blake as applied to claims 1 and 16 above, and further in view of Beresford et al. (6,145,615).

Regarding claims 5-6, 14, and 22, Hoyle et al. in view of Blake disclose the claimed invention except that disclosing the selection of certain spring stiffness to withstand axial load of 100,000 pounds.

Beresford et al. teach a mechanical filter for damping longitudinal wave at a predetermined frequency for a drill string with design information (col. 6, lines 1-3, and lines 10-55). It would have been obvious to one having ordinary skill in the art to modify Hoyle et al in view of Blake's apparatus as taught by Beresford et al. to include certain spring stiffness for the purpose of withstanding certain axial load.

Further, it would have been obvious to one having ordinary skill in the art at the time the invention was made to select such spring stiffness value, since it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art. *In re Boesch*, 617 F.2d 272, 205 USPQ215 (CCPA 1980).

6. Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hoyle et al. in view of Blake as applied to claim 1 above, and further in view of Wignall et al. (4,872,526).

Hoyle et al. in view of Blake disclose the claimed invention except that the coils of said springs have radial holes extending therethrough.

Wignall et al. teach coils of said springs (10b1-3 in Fig. 9) have radial holes (D) extending therethrough for low acoustic impedance. It would have been obvious to one having ordinary skill in the art to modify Hoyle et al in view of Blake's apparatus as taught by Wignall et al. to include the coils of said springs have radial holes extending therethrough for the purpose of providing low impedance.

7. Claim19 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

8. Claims 2-3, 12-13, 17, 25, and 26 are allowed.

9. Applicant's arguments filed 7/14/2003 have been fully considered but they are not persuasive.

The applicant argued that Blake can not be considered analogous art, and that the reference must either be in the field of applicant's endeavor or, if not, then be reasonably pertinent to the particular problem with which the inventor was concerned. The examiner disagrees because Blake is considered as relevant art directed to attenuation of axial load shock waves, and the springs are housed in a housing as

shown in the drawing. Therefore, it is considered reasonably pertinent to the claimed invention.

In response to Applicant's argument that there is no suggestion to combine the references, the Examiner recognizes that references cannot be arbitrarily combined and that there must be some reason why one skilled in the art would be motivated to make the proposed combination of primary and secondary references. *In re Nomiya*, 184 USPQ 607 (CCPA 1975). However, there is no requirement that a motivation to make the modification be expressly articulated. The test for combining references is what the combination of disclosures taken as a whole would suggest to one of ordinary skill in the art. *In re McLaughlin*, 170 USPQ 209 (CCPA 1971). References are evaluated by what they suggest to one versed in the art, rather than by their specific disclosures. *In re Bozek*, 163 USPQ 545 (CCPA) 1969. In this case, Blake is only relied upon on its teaching of one or more springs connected in series in a housing to attenuate axial load shock waves. The combination of the references read on the claims. The rejections stand.

10. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not

shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

11. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Shih-yung Hsieh whose telephone number is 703-308-1031. The examiner can normally be reached on 8-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Nappi can be reached on 703-308-3370. The fax phone numbers for the organization where this application or proceeding is assigned are 703-305-3431 for regular communications and 703-305-3431 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0956.

syh
August 5, 2003



SHIH-YUNG HSIEH
PRIMARY EXAMINER